



This
is
**DYNAMIC
Lighting!**



Progressive Dynamics

*The Source of Bright Ideas
Since 1964*

www.progressivedyn.com



Uses
#1141
Bulb.

PROGRESSIVE DYNAMICS BULLET LIGHT

Compact, decorative, high-intensity light produces effective lighting, yet remains cool to the touch. Easy surface-mount; positive pivot action gives 90° extension from the wall and a full 180° rotation. Directional focusing: ideal for reading maps and books. 12-V, 1.44-amp, 21-CP. 5" L x 3 1/4" -4" (swiveled out) x 3 3/8" -5 3/8" (tilted out).

12253 White Light
#PD787-26V 25

10616 ^{LS US only} Walnut Light
#PD767WW 5



PROGRESSIVE DYNAMICS 12V DC FLUORESCENT LIGHTS (220 SERIES)

The 220 Series 12V DC Fluorescent Lights are attractive and economical, and will compliment any Recreational Vehicle or Boat. The soft graceful curves of these lights will remain in style for years to come. Each light is constructed of heat-resistant, high-impact white ABS. The translucent acrylic, shadow-free lens snaps in and out for easy cleaning. Their cool white light is easy on the eyes, yet will brighten the darkest corner. All of these lights feature an easy ON/OFF rocker switch, reverse polarity protection, translucent acrylic lens, heat-resistant white ABS frame, and all meet FCC requirements for noise and interference.

Two fluorescent bulbs included (Size, Model):

14775 Approx. 5-1/2" W x 18-7/8" L x 1-7/16" H (F8T5/CW) #PD222F8CWCV 10

One fluorescent bulb included (Size, Model):


S/O Approx. 3" W x 25" L x 1-7/16" H (F15T8/CW) #PD221F15CWCV



PROGRESSIVE DYNAMICS CONVENIENCE LIGHT

Easily mounted 12-V light automatically illuminates interior when the door opens. Perfectly suited for closets, overhead cabinets, storage areas. Uses a #563 1/2 -amp 4-CP automotive bulb. 4 1/8" L x 3 1/2" W x 2" H. Ivory.

14015 ^{LS} Closet Light
#PD210-213V 25



PROGRESSIVE DYNAMICS 12-VOLT INTERIOR LIGHTS (750 SERIES)

The PD750 Series of 12-volt interior lights were specifically designed to meet the needs of the RV and Marine Industries for low-cost-yet-attractive lights. Features: • Large slide switch for easy accessibility in the dark. • Lens easily removed without tools for bulb replacement. • Uses standard 1141 automotive bulbs. • PD752 has 3 position slide switch to light one or two bulbs. • Full bulb sockets assure positive electrical contact.

750 Series Interior Light:

12377 Single #PD751WWW 40

12378 Double #PD752WWW 20

Replacement Lens for Series 750 & 760:

14813 White, Each #14813 12

12967 White, Pk/2 #PD305 1

12976 White, Optic, Pk/2 #PD304 1


13823 Translucent Prismatic Lens, Pk/2 #PD306 5

INTERIOR LIGHTS

LIGHTS

E

In Section E:	Interior Lights	Porch & Exterior Lights	Patio Lights	Flashlights	Spot & Flood Lights	Bulbs	Towing Lights	Vehicle Lights	Reflectors
---------------	-----------------	-------------------------	--------------	-------------	---------------------	-------	---------------	----------------	------------



PROGRESSIVE DYNAMICS 12-VOLT DELUXE LIGHTS (760 SERIES)

The low silhouette styling makes these frame lights blend with any interior decor. Feature white end caps, teak trim, snap out lens, #1141 bulb, and surface mount. 5⁷/₈" W x 1³/₄" H x 5⁷/₁₆" L (Single) or 10³/₄" L (Double).


Deluxe Light:

- 10611** Single #PD761WTWW 5
- 10612** Double #PD762STWWW 5

Replacement Lens for Series 750 & 760:

- 14813** White, Each #14813 12
- 12967** White, Pk/2 #PD305 1
- 12976** White, Optic, Pk/2 #PD304 1
- 13823** Translucent Prismatic Lens, Pk/2 #PD306 5

*Uses
#1141
Bulb.*



PROGRESSIVE DYNAMICS 12-VOLT EURO-STYLE LIGHTS (770 SERIES)

These low-profile interior lights feature an ABS frame with an enlarged lens to maximize light output and an easily-found oversized light switch. Aurora lens.

- 14591** Single Light, 6⁵/₈" L x 4"W x 1⁹/₁₆" H #PD771WWW 1
- 14592** Double Light, 11¹/₂" L x 4"W x 1⁹/₁₆" H #PD772WWW 25

Replacement Lens for Series 770, White:

- 13014** Aurora, Pk/2 #PD307 1
- 13824** Skylite, Pk/2 #PD309 1
- 13825** Starbust, Pk/2 #PD310 5
- 12978** Solar, Pk/2 #PD308 1



Uses #1141 Bulb.

PROGRESSIVE DYNAMICS 12-VOLT INTERIOR LIGHTS (780 SERIES)


The PD780 Series of 12-volt interior lights are trendsetters for RVers. Clear oval center lens area provides direct light for counter tops. Slim profile for low clearance applications. Snap-out lens for quick bulb changes. Opal lens. Overall sizes: Single: 7" L x 4.5" W x 1.75" H and Double: 11.85" L x 4.5" W x 1.75" L.

780 Series Interior Light:

- 12212** Single #PD781WSBCV 1
- 12213** Double #PD782WSBCV 25

Replacement Lens for Series 780, White:

- 12979** Opal, Pk/2 #PD311 5
- 13826** Pearl, Pk/2 #PD312 5



PROGRESSIVE DYNAMICS 12-VOLT INTERIOR LIGHTS (790 SERIES)

Trendsetting 12-volt, single lens incandescent light design gracefully blends well with any ceiling surface. The slim profile is also ideal for low head clearance applications. • Large lens and patented reflector design delivers excellent illumination. • Snap-out lens design for quick bulb changes (Bulb: #1141 Automotive). • Heat-resistant, high-impact polymer frame and lens minimizes accidental damage. • Full bulb sockets for positive electrical contact. Overall sizes: Single: 7" L x 4.5" W x 1.75" H and Double: 11.85" L x 4.5" W x 1.75" L.

790 Series Light Without Power Port:

- 12215** Single #PD791WWW 5
- 12214** Double #PD792WWW 5

Replacement Lens, White:

- 12980** Single, Pk/2 #PD315 5
- S/O Double, Pk/1 #PD316



This
is
**DYNAMIC
Lighting!**



Progressive Dynamics

*The Source of Bright Ideas
Since 1964*

www.progressivedyn.com



EURO-STYLE LIGHTS

12-VOLT EURO-STYLE LIGHTS

Sleek Euro-style lights feature an easy-to-use on/off switch. Available in a single or double design with squeeze-remove white or optic lens in either colonial white or white base. Uses replacement bulb #1141.

Single Euro-style light is 8"L x 4.75"W and requires four mounting screws (not included).

SINGLE LIGHT WITH WHITE BASE

Sold in CD/1			Sold in Bulk		
Format	Order #	Price	Format	Order #	Price
Optic Lens	18122		Optic Lens	18526	
White Lens	18121		White Lens	18525	

SINGLE LIGHT WITH COLONIAL WHITE BASE

Sold in CD/1			Repl. Lens 4.5"X3.75" CD/1		
Format	Order #	Price	Format	Order #	Price
Optic Lens	18014		Optic Lens	18017	
White Lens	17925		White Lens	18016	

Double Euro-style light is 11"L x 4.75"W and requires six mounting screws (not included).

DOUBLE LIGHT WITH WHITE BASE

Sold in CD/1			Sold in Bulk		
Format	Order #	Price	Format	Order #	Price
Optic Lens	18124		Optic Lens	18528	
White Lens	18123				

DOUBLE LIGHT WITH COLONIAL WHITE BASE

Sold in CD/1			Repl. Lens 4.5"X3.75" CD/1		
Format	Order #	Price	Format	Order #	Price
Optic Lens	18015		Optic Lens	18017	
White Lens	17926		White Lens	18016	



18124

FLEETWOOD EURO LIGHT REPLACEMENT LENS

Fits all Fleetwood-style Euro-style lights with optic lenses in units manufactured after 1995. Also fits Euro-style light sold under the Thin Lite brand. Lens: 4.5" x 3.75".

11587 Euro Light Lens, CD/1 #11587 **36**



ECONOMY LIGHTS

12-VOLT WHITE OR OPTIC LENS SINGLE OR DOUBLE ECONOMY LIGHTS

Light up an interior with these easy-to-use, functional lights. Features include a 3-position slide switch, easy-to-clean high temperature smooth snap-out plastic lens, white plastic frame and color coded wires. The double light uses a #1141 high-intensity bulb and the single light uses a #1016. Wood screws not included.

SINGLE ECONOMY LIGHT*

• Dim: 6-1/4"L x 5-1/2"W x 1-5/8"H. • Repl. bulb #1016

DOUBLE ECONOMY LIGHT

• Dim: 11-1/2"L x 5-1/2"W x 1-5/8"H. • Repl. bulb #1141

Sold in CD/1			Sold in CD/1		
Format	Order #	Price	Format	Order #	Price
Optic Lens	11824		Optic Lens	11825	
White Lens	14655		White Lens	14656	

* Single light has double element connection (bright, brighter, off).

REPLACEMENT LENSES

Lens snaps out for easy replacement on both the single and the double Economy Lights.

Sold in CD/1			Sold in Bulk		
Format	Order #	Price	Format	Order #	Price
Optic Lens	11826		Optic Lens	-	-
White Lens	18530		White Lens	14813	



With Optic Lens

With White Lens

For more information on Arcon Products, visit our website at www.arconelectrical.com.

In Section E:	Interior Lights	Porch & Exterior Lights	Patio Lights	Flashlights	Spot & Flood Lights	Bulbs	Towing Lights	Vehicle Lights	Reflectors
---------------	-----------------	-------------------------	--------------	-------------	---------------------	-------	---------------	----------------	------------

THE ORIGINAL THIN-LITES FLUORESCENT LIGHTING

U.L. Listed and CSA Certified, Thin-Lites are designed for high light output at low-amp draw. They offer years of reliable, virtually maintenance-free service. Energy efficient, Thin-Lites are complemented by non-yellowing diffuser lenses, baked white enamel finish, and attractive woodgrain trim. Standard fixtures have aluminum housings. They include standard AC fluorescent tubes powered by Thin-Lite's highly efficient DC electronic ballasts.

#109C THIN-LITE

22-watt, 12-V circline, 9-1/2" dia. x 1-3/4" deep, 1.6 amps. Uses one FC8T9/CW fluorescent tube. Light output: 1000 design lumens.



10520 Round Thin-Lite #109C 6

Replacement Parts for #109C Round:

10347 Round Tube #FC8T9/CW 12

S/O Replacement Ballast #IB-109

11059 White Lens #D-109C 1

Replacement Parts for #109S Square:

10347 Round Tube #FC8T9/CW 12

S/O Replacement Ballast #IB-109

11319 Lens #D-109S 1

#116 THIN-LITE

30-watt, 12-V 18" x 5-5/8" x 1-3/8" thin. 2.2 amps. Uses two F15T8/CW fluorescent tubes. Light output: 1650 design lumens.

10522 30-Watt Thin-Lite #116 "M" 20

11279 Ballast only #IB-116 1

11061 Lens only #D-116 1



#126 THIN-LITE

26-watt, 12-V, 21.312" x 5-1/2" x 1" thin. 2.0 amps. Uses two F13T5/CW fluorescent tubes. Light output: 1700 design lumens.

10523 26-W Thin-Lite #126 "M" 1

S/O Replacement Ballast #IB-126



#111 THIN-LITE

8-watt, 12-V light, 12-1/4" x 4-1/8" x 1" thin. 0.8 amps. Uses one F8T5/CW fluorescent tube. Light output 400 design lumens.

10528 8-Watt Thin-Lite #111 "M" 6

S/O Replacement Ballast #IB-111

S/O Replacement Lens #D-111



#112 THIN-LITE

16-watt, 12-V, 12-1/4" x 5-1/2" x 1" thin. 1.4 amps. Uses two F8T5/CW fluorescent tubes. Light output: 800 design lumens.

10521 16-Watt Thin-Lite

#112 "M" 20

11278 Ballast only #IB-112 1



#115 THIN-LITE

15-watt, 12V, 18" x 4" x 1-3/8" thin. 1.3 amps. Uses one F15T8/CW fluorescent tube. Light output: 825 design lumens.

10519 15-Watt Thin-Lite

#115 "M" 20

S/O Replacement Ballast #IB-115

S/O Replacement Lens #D-115



THIN-LITE SURFACE MOUNT FLUORESCENT LIGHTS (ST 130 Series)

The ST 130 Series are economically priced, practical lights that feature pre-painted aluminum housings and acrylic diffuser lenses.

SUNTRAVEL MODEL 130 LIGHT

16-watt, 12V, 12" x 5-3/8" x 1-3/4", 1.4 amps. Uses two F8T5/CW fluorescent tubes. Light output: 800 design lumens. "Cracked Ice" Lens.

10080 Sun Travel Light #130CI 20

14140 Repl. Lens #D-130CI 1

SUNTRAVEL MODEL 134 LIGHT

30-watt, 12V, 18" x 5-3/8" x 1-3/4", 2.2 amps. Uses two F15T8/CW fluorescent tubes. Light output: 1650 design lumens.

10081 Sun Travel Light #134CI 20

14141 Repl. Lens #D-134CI 1

SUNTRAVEL MODEL 138 LIGHT

34-watt, 12VDC, 24" x 5-3/8" x 1-3/4", 2.5 amps. Uses two F24T8CW fluorescent tubes. Light output: 2400 design lumens.

18191 34 Watt Thin-Lite #138G 1



THIN-LITE LOW-PROFILE FLUORESCENT LIGHTS

Low-profile, for areas that require light but have limited mounting space. Only 2 1/4" W x 1 1/4" D, they provide area and aisle lighting; fit nicely under cabinets and around mirrors. Anodized aluminum housing, clear acrylic diffuser lens.

#171 LOW-PROFILE THIN-LITE


Low-profile anodized aluminum, 8-watt, 12V light, 17 5/8" x 2 1/4" x 1 1/8" thin. 0.9 amps. Uses on F8T5/CW fluorescent tube. Light output: 400 design lumens.

10530 8-Watt Thin-Lite #171 1

#173 LOW-PROFILE THIN-LITE

Low-profile, anodized aluminum, 13 watt, 12V light. 1.3 amps. 26 5/8" x 2 1/4" x 1 1/8" thin. Uses one F13T5/CW fluorescent tube. Light output: 820 design lumens.

10531 13-Watt Thin-Lite #173 1



THIN-LITE RECESSED FLUORESCENT LIGHTS

Thin-Lite® recessed lights provide efficient lighting for elegant interiors. They are easy to install in ceilings and under cabinets. They provide the "custom made" look in anodized aluminum housing. Injection-molded acrylic diffuser lenses add the finishing touch.

#712XL THIN-LITE WITH ALUMINUM FINISH

16 watt 12VDC light. Suggested mounting opening: 14.25" x 5.313" x 1.25". Overall: 14.75" x 6.375" x 2". 1.4 amps. Uses two F8T5/CW fluorescent tubes. Light output: 800 design lumens.

13966 16-Watt Lite #712XL DIST 1


#716XL THIN-LITE WITH ALUMINUM FINISH

30 watt 12VDC light. Suggested mounting opening: 20.125" x 5.313" x 1.25". Overall: 20.625" x 6.625" x 2". 2.2 amps. Uses two F15T8/CW fluorescent tubes. Light output: 1650 design lumens.

13967 30-Watt Lite #716XL 10

MORE
FLUORESCENT
LIGHTS ARE
PRESENTED
ON PAGE 115!





THIN-LITE 12VDC COMPACT FLUORESCENT LIGHTS

- Low profile design for Compact RV's & Campers. • Mounting hardware included.
- Textured non glare white finish.
- Powder coated aluminum chassis .
- UL, CE, CSA, Marine UL Certified.
- 4 times more efficient than halogen lights.
- Input Voltage range 9 VDC - 15 VDC.
- 5 times brighter than incandescent.
- Surface mount for easy retrofitting.
- Reverse polarity protection.
- Two Year renewable warranty. • Made in USA.

16-watt, 12-V 13.95" x 5.56" x 1.51" (354.3 x 141.2 x 38.4 mm). 1.4 amps. Uses two F8T5/CW fluorescent tubes. Light output: 800 design lumens. • Weight: 1.10 lb (0.499 kg).

Model 622 Elegant:

14029 16Watt Thin-Lite #DIST-622 20

14068 Lens only #D-622 1

30-watt, 12-V 19.67" x 5.56" x 1.51" (499.6 x 141.2 x 38.4 mm). 2.2 amps. Uses two F15T8/CW fluorescent tubes. Light output: 1650 design lumens. • Weight: 1.68 lb (0.762 kg).

Model 626 Elegant:

14065 30Watt Thin-Lite #DIST-626 12

14069 Lens only #D-626 1



THIN-LITE INCANDESCENT LIGHTS

The single model is 18 watt, 12 VDC -1.44 amps and measures 8-1/8" x 5" x 1-1/2". The dual model is 18 watt, 12 VDC - 2.88 amps, 11-1/8" x 5" x 1-1/2".

10413 Single Light #311 DIST 20


10414 Dual Light #312 DIST 20

Replacement Parts:

16777 #1141 Bulb, CD/2 #16777 1500

16776 #1141 Bulb, BX/10 #16776 500

14946 Replacement Diffuser Lens Only for Model 311/312 #D-311 1



THIN-LITE FLUORESCENT LIGHTS

MODELS 652 AND 656

16-watt, 12-V 16.843" x 7.3" x 1.56" thin (427.8 x 185.4 x 39.6 mm). 1.4 amps. Uses two F8T5/CW fluorescent tubes. Light output: 800 design lumens. • Weight: 1.22 lb (0.554 kg).

Model 652:

14066 16W Thin-Lite #DIST-652 20


14070 Lens only #D-652 1

30-watt, 12-V 22.652" x 7.30" x 1.56" thin (575.4 x 185.4 x 39.6 mm). 2.2 amps. Uses two F15T8/CW fluorescent tubes. Light output: 1650 design lumens. • Weight: 1.84 lb (0.835 kg).

Model 656:

14067 30W Thin-Lite #DIST-656 20

14071 Lens only #D-656 1



THIN-LITE HI-TECH STYLE INTERIOR FLUORESCENT LIGHT

Thin-Lite® Hi-Tech styles were developed for both efficient and attractive lighting where maximum light is required. Anodized aluminum housings and clear acrylic diffuser lenses provide high light output on three sides. Designed for commercial and industrial vehicles, and for use in remote area housing, schools and medical facilities in conjunction with alternative sources of energy. Almond end caps standard.

#193 HI-TECH THIN-LITE

15 watt 12VDC light. 18 1/8" x 2 1/4" x 2 7/16". 1.3 amps. Uses one F15T8/CW fluorescent tube. Light output: 870 design lumens.

13969 15-Watt Thin-Lite #193 1



RV Designer

RV DESIGNER FAN & LIGHT, 12V

- Great for fold out bunks.
- Sold in a color box of 6" W x 10" H x 4" D. • 2 lbs.

10086 Fan / Light, 12V #M550 12



COMMAND LIGHTS

MEGA STAR 12 V INCANDESCENT SERIES

High intensity, surface mount, designed to maximize light output, enhance surrounding decor and fully disperse light pattern. The powerful and reliable lighting solution. Unbreakable lens. Bulb #921. White light w/polycarbonate lens and rocker switch. CSA NTRL/C Certified. Dim.: single 7-1/8" x 4-1/4" x 1-7/8"; double 12" x 4-1/4" x 1-7/8"; lens 5-1/2" x 4" x 1-1/2".

Command Mega Star Light with Switch:

12700 Single #001-801XP 12

12701 Double #001-802XP 10

12706 Lens Only #89-241 24

LOW-PROFILE 12V FLUORESCENT LIGHTING, SURFACE MOUNT

An excellent complement to our incandescent Omega Series. CSA Certified for the US and Canada. ROHS Compliant. Bulbs included.

15311 16 Watt 12 VDC Surface, uses two F8T5 Fluorescent Lamps 0.9 amps, 17" x 4-1/4" x 1-1/3" #005-394 8



OMEGA INTERIOR DOME LIGHT

Combination of elegance and high performance wrapped in a sleek package. Unbreakable polycarbonate lens. CSA Certified for the US and Canada. Patented Design. Single: 7-7/16" x 5-3/4" x 1-7/8"; Double: 11-3/16" x 5" x 1-7/8".

Omega Dome White Light w/Rocker Switch:

13346 Single #001-901XPB 12

13347 Double #001-902XPB 8

Replacement Parts:

16802 #921 Bulb, CD/2 #16802 10

16794 #921 Bulb, BX/10 #16794 120

13348 Lens Only #89-255 24

PORCH/UTILITY LIGHTS



12-VOLT UNIVERSAL PORCH/UTILITY LIGHT

12-Volt surface mounted with or without switch. Sleek design in white base or an off-white base with choice of clear or amber snap in lens, with or without rocker switch. Lights are 5-3/4" x 3-1/2"; replacement lenses are 5-1/4" x 2-1/2". Uses replacement bulb #1003.

PORCH/UTILITY LIGHT, WHITE BASE

With Switch, CD/1			Without Switch, CD/1		
Format	Order #	Price	Format	Order #	Price
Amber Lens	18111		Amber Lens	18109	
Clear Lens	18104		Clear Lens	18102	

PORCH/UTILITY LIGHT, WHITE BASE

With Switch, Bulk			Without Switch, Bulk		
Format	Order #	Price	Format	Order #	Price
Amber Lens	-	-	Amber Lens	-	-
Clear Lens	18522		Clear Lens	18521	

PORCH/UTILITY LIGHT, OFF-WHITE BASE

With Switch, CD/1			Without Switch, CD/1		
Format	Order #	Price	Format	Order #	Price
Amber Lens	18105		Amber Lens	18103	
Clear Lens	18110		Clear Lens	18108	

12-VOLT SCARE/ PORCH LIGHT

Give yourself double the light output with this made-to-last stainless steel housed yard light with heavy-duty clear acrylic lens and 27-watt (2.1-Amp.) 32-candlepower output. A great upgrade for an existing light or for additional lighting. 8-1/2" dia. x 1-1/2" deep.

Scare Light, Clear Lens, Surface Mount (Screws not included):

10705 Bulk #10705 25

16193 Carded #16193 144

Replacement Bulb:

16783 #1156 Bulb, CD/2 #16783 1500

16782 #1156 Bulb, BX/10 #16782 500



18102, White Base, Without Switch, Clear Lens



18110, Off-White Base, With Switch, Clear Lens

Repl. Lens 5-1/4" x 2-1/2" CD/1		
Format	Order #	Price
Amber Lens	18107	
Clear Lens	18106	



For more information on Arcon Products, visit our website at www.arconelectrical.com.

COMMAND INCANDESCENT PORCH LIGHTS



Model without Switch Illustrated

CLASSIC 12V

Elegant yet rugged design. Polar

white. Bulb #912. CSA Approved. Includes amber and clear lens. Dim.: light 5-7/8" x 3-3/8" x 2-3/16"; lens 4-13/16" x 2-1/4" x 1".

12715 Classic Porch Light w/Switch (Shown with Amber Lens) #007-50SAC 12

12716 Amber Lens #89-100A 24

12717 Clear Lens #89-100C 24

STAR 12 VOLT

Superbly designed to accent any exterior motif. Elegant and rugged. Polar white. Bulb #922. CSA

Approved. With amber and clear lens. Dim.: light 6" x 4" x 2"; lens 3-3/4" x 3-7/8" x 1-1/2".



12720 Star Porch Light with/Switch (Shown with Clear Lens) #007-40SAC 10

12722 Amber Lens #89-207A 12

12721 Clear Lens #89-207C 12



OPTRONICS COURTESY/ UTILITY LIGHT



Clear, flush-mount courtesy/utility light with polished, chrome-plated housing. Features snap-on, replaceable lens and easy to change replaceable bulb. Retail packaging.

10064 Courtesy/Utility Light #UL-71CS 12

Replacement Bulb:

16800 #194 Bulb, CD/2 #16800 10

16762 #194 Bulb, BX/10 #16762 400



OPTRONICS LICENSE PLATE/ UTILITY/DASH LIGHT

Snap-in license plate/utility/dash light, chrome plated. Mounts in 1-1/4" diameter hole. Replaceable bulb. Single wire design grounds through mounting hardware. Two units required for legal license illumination.

10047 License Plate/Utility/Dash Light, Each, Retail packaging #LP-11CS 12

THIN-LITE #162 WEATHERPROOF OUTDOOR AREA LIGHT



Thin-Lite® weatherproof outdoor area lights feature anodized aluminum housings and provide superior nighttime security and area lighting.

Weatherproof outdoor area light with amber lens (will not attract flying insects). 16-watt, 12-V, 1.4 amps. 12.875" x 3.80" x 2.75" thin. Uses two F8T5/CW fluorescent tubes. Light output: 800 design lumens.

10524 Outdoor Thin-Lite #162A 10



RV DESIGNER KLIPPY KLIPS

Hang lights, flags, banners & more from your RV awning. Klippy Klips swivel & pivot for easy mounting and can stay attached to lights permanently for easy storage. High impact plastic and stainless steel for long life.



46833 Klippy Klip, Pk/10 #M111 12

ROADPRO

**ROADPRO
FLASHLIGHT-LED,
NO BATTERIES
REQUIRED**

- Never Needs Batteries! Grip Power Action!
- 1 Minute of Grip Action for 15 Minutes of Light
- This Bright LED will Last Over 50,000 Hours



Grip Power LED Flashlight:

14130 One of these assorted colors (Blue, Red or Yellow) with black head
#RPLK-501/A [48](#)

RAYOVAC

**RAY-O-VAC
PRODUCTS**

**FLOATING
LANTERN**

Features:

- 6V Heavy Duty Lantern Battery.
- Bright Krypton Beam.
- Long range Beam.
- Durable Construction.
- Lifetime Warranty.
- Replacement Bulb: K13-2.



15666 Floating Lantern #EVFL6V-B [6](#)

**2-CELL PLASTIC
FLASHLIGHT**

2-cell carded flashlights with plastic cases. Features a slip-proof switch guard to avoid accidental turn-on. Operates on two "D" batteries (not included); PR2 bulb.

12610 2-Cell Flashlight
#IV2D [6](#)



OPTRONICS

**BLUE-EYE BEAM®
GLARE-FREE
SPOTLIGHT**



Patented glare-free lens penetrates fog, smoke, rain and haze. Powerful 400,000-cp beam shines for miles. Corrosion-resistant hardware will last under saltwater conditions. Weather-proof enclosed switch keeps out water and corrosion. 10' coil cord gives added mobility. 3-year warranty. Made in USA.

79131 BlueEye Spotlight #KB-4001 [1](#)

GUIDE LIGHTS

Guide lights have high-density halogen bulbs with a 70° horizontal flood range and a 30° vertical flood range. Made from high impact ABS with UV inhibitor. Special neoprene gasket keeps the weather out. Requires a 6" x 6 3/4" cut-out. (Lights are 4 3/4" D.) 50 watt, 12 volt, 3.91 amp. Pair.

12334 Guide Lights, Polar White #GL101-18 [1](#)



**GOLIGHT
RADIORAY
SEARCHLIGHT**

**GOLIGHT RADIORAY
FEATURES:**

- **Exclusive Cr5 Pentabeam™ Technology** combines Golight's five-sided parabolic reflector with an axial filament bulb (Philips H-9, 65 Watt) to generate an extremely bright, virtually perfect beam of light to eliminate dark spots, cast a broad spectral pattern and reach distances of up to one-half mile.
- **Remote Controlled Operation** — Wireless remotes control your spotlight up to 100' away (models 2000 and 7900), or dash-mount remote with 20' wiring harness (model 2020).
- **370° Rotation with 120° Tilt** — Completely rotates in approx. 8 seconds on fast speed, 13 seconds on slow speed.
- **400,000 Candlepower, 5.5 Amps.**
- **UV Ray and Saltwater Resistant.**
- **Weatherproof** for land and sea applications.
- **3-Year Limited Mfr. Warranty.**

Radioray 12-volt DC searchlight with wireless programmable remote control:

Model 2000, permanent mount, with mounting hardware included. Size 7" x 7" x 6.5". White.

79268 RadioRay Permanent Mount
#2000 [6](#)

Golight 2020 permanent mount search light with dash mounted remote:

Includes 20 ft. of wiring harness with quick disconnects, plus mounting hardware. 12 VDC. Size .

79271 Golight with Dash Mount Remote, White, 7" x 7" x 6.5" #2020 [1](#)



GOLIGHT



STRIKER 3066 REMOTE CONTROLLED SEARCHLIGHT

With Wireless Dash-mount, And Hand-held Remote

The Stryker wireless searchlight features a 500,000 c.p. focused beam and a stylish, tough ASA chrome plated housing, plus Cr5 Pentabeam™ technology to generate an extremely bright, virtually perfect beam of light to eliminate dark spots, cast a broad spectral pattern and reach distances of up to one-half mile. Includes a wireless dash-mount remote, wireless hand-held remote, and a mounting system that utilizes a stainless steel mounting plate that under-locks to the light for a quick and simple installation. A 2 wire power connection to the light is all that's required for wiring. The controls feature 2-speed operation, and will turn the light on/off, and rotate the light 370° horizontally and 135° vertically. Bulb: Philips 9011. 65 watts, 5.5 amps.

- Rockguard cover included.
- Integrated 12-V DC high-torque motor.
- UV ray and saltwater resistant.
- Weatherproof for land and sea applications.
- Waterproof remote transmitters.
- RF programmable Super heterodyne receiver.
- 5 year limited warranty.

14745 Striker w/Wireless Remote, Chrome #3066 [1](#)

RAY-LINE® 135 SL REMOTE CONTROL SPOTLIGHT



Rectangular, sleek, modern design—in tough, weather-resistant, corrosion-resistant, white thermoplastic housing! Sealed beam halogen bulb gives piercing light, 320° rotation and 75° vertical sweep. Integrally molded clutch allows light to operate against limit stops without damage. Easy-fit black control panel compliments instrument panel or fits any location. Panel has on-off switch and 8-way directional switch. Includes remote control and 15 ft. cable assembly. Measures 7 7/8" high, 100,000 candle power, 12-volt DC, 50 watts, 3.6 amps. Uses bulb 18753-0178.

762089 135 SL Remote Control Spotlight #60020-0000 [1](#)


ARCON REPLACEMENT BULBS

LIGHTS

E

In Section E: Interior Lights | Porch & Exterior Lights | Patio Lights | Flashlights | Spot & Flood Lights | Bulbs | Towing Lights | Vehicle Lights | Reflectors

REPLACEMENT BULBS



BULB #3157
 CP (Candle Power) 32
 Volts 12
 Watts 25.2
 Amps 2.1

Format	Order #	
CD/2	16798	
Box/10	-	-




BULB #J12B
 CP (Candle Power) -
 Volts 12
 Watts 13
 Amps 1.08

Format	Order #	
CD/2	16814	
Box/10	-	-



BULB #J12B-IF
 CP (Candle Power) -
 Volts 12
 Watts 13
 Amps 1.08

Format	Order #	
CD/2	16805	
Box/10	-	-



BULB #JC10W
 CP (Candle Power) -
 Volts 12
 Watts 10
 Amps 0.84

Format	Order #	
CD/2	16747	
Box/10	-	-

12-VOLT GENERAL PURPOSE BULBS

Arcon 12-Volt general purpose bulbs are available 25-Watt or 50-Watt.

- 16809** 25-Watt, CD/2 #16809 10
- 16810** 50-Watt, CD/2 #16810 10

12-VOLT APPLIANCE BULB

Arcon 12-Volt 15-Watt appliance bulb fits range hoods and ovens.

- 16808** 15-Watt, CD/2 #16808 10



ARCON EMERGENCY BULB KIT

Arcon Emergency Bulb Kit features a see-through molded plastic cover that holds and protects bulbs. Package is 8" x 7" x 1 1/4" with a cover that slides off and on. Includes 13 bulbs:

- 3 - #57 clearance bulbs
- 1 - #67 license/courtesy bulb
- 2 - #194 clearance bulbs
- 1 - #906 interior/porch bulb
- 2 - #1003 interior/porch bulbs
- 2 - #1141 taillight/interior bulbs
- 2 - #1157 taillight/interior bulbs



- 16796** Emergency Bulb Kit #16796 1200

FLUORESCENT LIGHTS

ARCON 12-VOLT FLUORESCENT LIGHTS


Available in 16-watt or 30-watt with a sleek Euro-style design. Surface mount for easy installation; feature an on/off rocker switch. Lenses are easily removed for cleaning. Available in either a 16-Watt or 30-Watt light.

12-Volt Fluorescent Lights, CD/1:

- 13812** 16-Watt is 16 7/8"L x 4 3/8"W; 1 3/8" Tall, uses two 8-Watt, 12" F8T5/CW fluorescent tubes. Draws only 1.8 total amps #13812 10
- 13813** 30-Watt is 24"L x 6 1/2"W; 1 3/4" Tall, uses two 15-Watt, 18" F15T8/CW fluorescent tubes. Draws only 3.7 total amps #13813 12

Replacement Lights:

- 16749** 8W, 12" Tubes, F8T5/CW, Pk/2 #16749 10
- 16748** 15W, 18" Tubes, F15T8/CW, Pk/2 #16748 10
- 16815** 13W, 21" Tubes, F13T5/CW, Pk/2 #16815 36



HUSKY Incandescent Truck & Trailer Lighting

All lights in the Husky program are tested to FMVSS 108 requirements. Certification documentation verifying compliance is provided for all products and is readily available. The Husky/Optronics lights use a three-tier compliance program: • All products are tested at the point of manufacture to FMVSS 108.



REPLACEMENT LENSES:

13285 Amber Lens, Polybag #A-36ABP 50

13801 Red Lens, Polybag #A-36RBP 50



Description	Part #	
HUSKY Incandescent Marker/Clearance Lights		
Sealed 2-1/2" Rectangular Marker/Clearance Lights		
Mini thin-line rectangular clearance or side marker light. PC-Rated light that functions as both a clearance and side marker light when properly mounted on a 45 degree angle. Features sonically sealed, waterproof lens and housing in a single unit. Dim.: 2-1/2"L x 1-3/16"W x 7/8"D.		
Amber Clearance Light Only, Bulk	17418	
Red Clearance Light Red, Bulk	17420	
4" Oblong Reflector Marker/Clearance Lights		
Oblong clearance or side marker light with a reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Single wire design grounds through mounting screw. All-weather molded plastic housing and durable lens protect against corrosion. Features snap-on, replaceable lens and easy to change replaceable bulb. Mounts on industry standard 3" centers. Dim.: 4"L x 2-1/16"W x 1-3/32"D.		
Amber Clearance Light, Bulk <i>Limited Supply</i>	17425	
Red Clearance Light, Bulk <i>Limited Supply</i>	17426	
2-3/4" Stud Mount Reflector Marker/Clearance Lights		
Square clearance or side marker light with a reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Single wire design grounds through mounting stud. Features replaceable lens and easy to change replaceable bulb. All-weather molded plastic housing and durable lens to protect against corrosion. Dim.: 2-3/4"L x 2-1/8"W x 1"D.		
Amber Clearance Light, Bulk (Lens CDS#13285)	17427	
Red Clearance Light, Bulk (Lens CDS#13801)	17429	
Sealed 2" Round Side Marker/Clearance Lights		
Round clearance or side marker light. PC-Rated light functions as both a clearance and side marker light when properly mounted on a 45 degree angle. Features sonically sealed, waterproof lens and housing in a single unit. Accepts industry standard 2-prong plug. Requires mounting grommet and plug for complete installation.		
Amber Clearance Light, Bulk	17430	
Amber Clearance Light, Packaged	18194	
Red Clearance Light, Bulk	17432	
Red Clearance Light, Packaged	18195	
Sealed 2-1/2" Round Side Marker/Clearance Lights with Reflex Lens		
Round clearance or side marker light with reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Features sonically sealed, waterproof lens and housing in a single unit. Accepts industry standard 2-prong plug. Requires mounting grommet and plug for complete installation.		
Amber Clearance Light with Reflectorized Lens, Bulk	17433	
Amber Clearance Light with Reflectorized Lens, Packaged	18196	
Red Clearance Light with Reflectorized Lens, Bulk	17434	
Red Clearance Light with Reflectorized Lens, Packaged	18197	
Sealed Two-Bulb Marker/Clearance Lights		
Two-bulb clearance or side marker light. PC-Rated light that functions as both a clearance and side marker light when properly mounted on a 45 degree angle. Two-bulb design for optimized light output. Features sonically sealed, waterproof lens and housing in a single unit. Mounts on industry standard 3" centers. Single wire design grounds through mounting hardware. Two-wire design contains both lead wire and ground wire for mounting to all surfaces. Kits include MC-65 light and A-65PB bracket and plug assembly. Dim.: 4"L x 1-1/4"W x 7/8"D.		
Sealed Dual-Bulb Rectangular Fender Light		
Functions as both amber front clearance light and red rear clearance light for over 80" applications. Mount on top or side of most fenders to mark widest point on trailer. Dim.: 4"L x 1-1/4"W x 7/8"D.		
Amber Clearance Light with Bracket & Plug, Bulk	17435	
Red Clearance Light with Bracket & Plug, Bulk	17437	
Amber/Red Fender Light with Bracket & Plug	17436	
Sealed Three Piece Identification Light Bars		
- 17438 ID light bar with (3) replaceable 17420 clearance lights and 50" lead wire, for over 80" applications. Features sonically sealed, waterproof light capsules. Contains both lead wire and ground wire for mounting to all surfaces. Mounts on 7.5" centers. Features all-weather molded plastic housing and durable lens to protect against corrosion. - 17440 ID light bar with three MC-11 series lights on a white metal base. 50" lead wire. Mounts on 14-3/8" centers. Features snap-on, replaceable lens and easy to change replaceable bulb. Single wire design grounds through mounting hardware.		
Red ID Light Bar w/Black Polymer Base 17", Bulk	17438	
Red ID Light Bar w/White Steel Base 15", Bulk	17440	

COMMAND EXTERIOR LED LIGHTING



SEALED LED CLEARANCE LIGHT

100,000 hour rated life. SAE approved, FMVSS-108. Includes base mount bracket with two wires used to surface mount lights.

LED Clearance, 3-13/16" x 1-3/64" x 3/4":

13355 Amber #003-1274A [6](#)

13356 Red #003-1274R [6](#)

LED CLEARANCE LIGHT

100,000 hour rated life. SAE approved, FMVSS-108. Includes base mount bracket with two wires used to surface mount lights.

LED Clearance Light, 3-7/8" x 1-7/8" x 1-3/8":

17331 Amber #003-58L [4](#)

17332 Red #003-59L [4](#)

Replacement Parts:

12433 Amber Lens only #89-237A [24](#)

12431 Red Lens only #89-237R [24](#)

16800 #194 Bulb, CD/2 #16800 [10](#)

16762 #194 Bulb, BX/10 #16762 [400](#)



OPTRONICS SEALED RECTANGULAR MARKER/CLEARANCE LIGHT KITS

Mini thin-line rectangular clearance or side marker light. PC-Rated light that functions as both a clearance and side marker light when properly mounted on a 45 degree angle. Features sonically sealed, waterproof lens and housing in a single unit. MC-91 kits include the A-91 light, A-91CB chrome base and A-91LW single wire plug. MC-92 kits include the A-91 light, A-91BB black base and A-91LW single wire plug. Single wire design grounds through mounting hardware. Dim.: 1-1/2"W x 2-7/8"L x 1"D.

Sealed Marker/Clearance Light Kit, Clam pack (Includes Chrome Base and Single Wire Plug):

12834 Amber Light Kit #MC-91AS [12](#)

12835 Red Light Kit #MC-91RS [12](#)

Sealed Marker/Clearance Light Kit, Clam pack (Includes Black Base and Single Wire Plug):

12491 Amber Light Kit #MC-92AS [12](#)

12475 Red Light Kit #MC-92RS [12](#)

Sealed Marker/Clearance Light, Clam pack:

13330 Amber Light Only #MC-90AS [12](#)

13204 Red Light Only #MC-90RS [12](#)



OPTRONICS SEALED LED MINI RECTANGULAR MARKER/CLEARANCE LIGHTS

Stud mount 3-diode LED clearance or side marker light. Features sonically sealed, waterproof lens and housing in a single unit. Single wire design grounds through mounting stud. Clam pack. Dim.: 1-1/8"W x 2-1/8"L x 1-1/16"D.

Sealed Mini LED Marker/Clearance Light:

12211 Amber #MCL-95AS [12](#)

12187 Red #MCL-95RS [12](#)



OPTRONICS SEALED TWO-BULB MARKER/CLEARANCE LIGHTS

Two-bulb clearance or side marker light. PC-Rated light that functions as both a clearance and side marker light when properly mounted on a 45 degree angle. Two-bulb design for optimized light output. Features sonically sealed, waterproof lens and housing in a single unit. Mounts on industry standard 3" centers. Single wire design grounds through mounting hardware. Two-wire design contains both lead wire and ground wire for mounting to all surfaces. Dim.: 1-1/4"W x 3-15/16"L x 7/8"D. Clam pack.

Sealed Marker/Clearance Light Kit:

12586 Amber Kit w/Bracket and Plug #MC-67AK [12](#)

12585 Red Kit w/Bracket and Plug #MC-67RK [12](#)

OPTRONICS SEALED STUD MOUNT MARKER/CLEARANCE LIGHTS



Stud mount clearance or side marker light with stainless steel/black base. Features sonically sealed, waterproof lens and housing in a single unit. Single wire design grounds through mounting stud. Clam pack. Dim.: 1-1/16"W x 2-1/16"L x 1"D.

Sealed Stud Mount Marker/Clearance Light:

12925 Amber #MC-95AS [12](#)

12926 Red #MC-95RS [12](#)

OPTRONICS LED MARKER/CLEARANCE LIGHTS

MCL-31 SERIES; OVAL

Oval LED light with reflector for clearance, side marker or identification light. Features snap-on, replaceable lens. Surface mount white base mounts on industry standard 3" centers. Features all-weather molded plastic housing and durable lens to protect against corrosion. Reflectorized lens eliminates the need for a separate reflector to meet DOT requirements. Design includes both lead and ground wires for mounting to all surfaces. Dim.: 2-1/16"W x 4"L x 1"D. Polypack.

Oval LED Marker/Clearance Light:

12182 Amber #MCL-31ABP [20](#)

12181 Red #MCL-31RBP [20](#)

MCL-36 SERIES; SQUARE

Square LED clearance or side marker light with reflector. Reflectorized lens eliminates the need for a separate reflector to meet DOT requirements. Features screw-on, replaceable lens. Stud mount black base. All-weather molded plastic housing and durable lens protect against corrosion. Design includes both lead and ground wires for mounting to all surfaces. Dim.: 2-1/8"W x 2-7/8"L x 15/16"D. Polypack.

Square LED Marker/Clearance Light:

12262 Amber #MCL-36AS [12](#)

12254 Red #MCL-36RBP [20](#)



CLEARANCE & SIDE MARKER LIGHTS

LIGHTS

E

In Section E:	Interior Lights	Porch & Exterior Lights	Patio Lights	Flashlights	Spot & Flood Lights	Bulbs	Towing Lights	Vehicle Lights	Reflectors
---------------	-----------------	-------------------------	--------------	-------------	---------------------	-------	---------------	----------------	------------



COMMAND LIGHTS

CLASSIC 12V CLEARANCE LIGHT

Socket is water resistant and is assembled with slight but firm rotating motion. Polar White. SAE approved. 4" x 2" x 1-13/16". Replacement lens is 4" x 2" x 3/4".

Classic Clearance Light:

12425 Amber Light #003-53P 12

12428 Red Light #003-54P 12

Replacement Bulbs & Lenses:

12426 Amber Lens only #89-121A 24

12429 Red Lens only #89-121R 24

16800 #194 Bulb, CD/2 #16800 10

16762 #194 Bulb, BX/10 #16762 400



RECTANGULAR CLEARANCE LIGHT W/ROUNDED CORNERS

Socket is waterproof and assembled with slight but firm rotating motion. Mounting screws are concealed beneath cover. Polar White. SAE approved. 3-7/8" x 1-7/8" x 1-3/4". Replacement lens is 3-7/8" x 1-7/8" x 5/8". 12 Volt.

Rectangular Clearance Light (Round Corners):

12432 Amber Light #003-59 12

12430 Red Light #003-58 12

Replacement Bulbs & Lenses:

12433 Amber Lens only #89-237A 24

12431 Red Lens only #89-237R 24

16800 #194 Bulb, CD/2 #16800 10

16762 #194 Bulb, BX/10 #16762 400



RECTANGULAR 12V CLEARANCE LIGHT

Socket is waterproof and is assembled with slight but firm rotating motion. Mounting screws are concealed beneath cover. Polar White. SAE approved. 3-7/8" x 1-7/8" x 1-3/4". Replacement lens is 3-7/8" x 1-7/8" x 5/8". 12 Volt.

Rectangular Clearance Light (Square Corners):

12434 Amber Light #003-55 12

12436 Red Light #003-56 12

Replacement Bulbs & Lenses:

12435 Amber Lens only #89-181A 24

12437 Red Lens only #89-181R 24

16800 #194 Bulb, CD/2 #16800 10

16762 #194 Bulb, BX/10 #16762 400

12325, 24



RV DESIGNER CLEARANCE LIGHTS

FLEETWOOD STYLE

Marker light commonly used by Fleetwood and many other RV manufacturers. 1-3/4" x 4". Screws included, Pk/1.

12325 Amber Light #E397 48

12324 Red Light #E395 48

WINNEBAGO STYLE

Weather-tight marker light used on late model Winnebago motorhomes & other RVs. 1-3/8" x 4". Screws included, Pk/1.

12323 Amber Light #E387 48

12322 Red Light #E385 48



13623



PETERSON CLEARANCE/MARKER LIGHT WITH REFLEX

- Rectangular clearance and side marker light.
- Popular for RV applications.
- Lens and housing welded to form a single sealed unit.
- Includes .175"-thick closed cell cushion for mounting.
- Twist-out bulb socket for easy bulb replacement.
- Light size: 3-7/8" W x 1-7/8" H x 3/4" D (without the bulb socket).

Clearance/Marker Light wit Reflex, Viz Pack:

13623 Amber #V2548A 10

13582 Red #V2548R 10

Replacement Bulb:

16800 #194 Bulb, CD/2 #16800 10


16762 #194 Bulb, BX/10 #16762 400

PETERSON SURFACE MOUNT LIGHT

- Surface-mount light functions as combination clearance and side marker.
- Durable base and acrylic lens provides high quality at economical price.
- Grounds through mounting screw with single lead wire for electrical connection.
- Light size: 2-7/8" Dia. x 1-1/8" D.

13471

13476



PETERSON COMBINATION CLEARANCE LIGHTS



Acrylic lens has built-in reflex reflector and "cross optics" for brilliant signal. Eliminates separately mounting a reflector. Vibar socket prolongs bulb life. 4 1/8" L x 2" W x 1 1/32" H. Mounts with two screws on 3" centers. Oval shaped. Uses #194 bulb.

13324 Amber Light #V108WA 6

13325 Red Light #V108WR 6

Replacement Lens only:

13272 Amber Lens #108-15A 10

13273 Red Lens #108-15R 10

PETERSON OVAL COMBINATION CLEARANCE/SIDE MARKER LIGHTS

Acrylic lens features built-in reflector which eliminates the need for a separate reflector. Mounts on 3" centers. The twist-in socket assembly contains both lead and ground wires for mounting to all surfaces. Carded. Uses replacement bulbs 193/194.



79037 Amber Light #V128A 6

79038 Red Light #V128R 6

Replacement Lens only:

13272 Amber Lens #108-15A 10

13273 Red Lens #108-15R 10

DRY LAUNCH

DRY LAUNCH SUBMERSIBLE COMBINATION CLEARANCE/SIDE MARKER LIGHT



Side marker and clearance light combination. 360° viewing. Submersible, air-trap design, Lexan lens. With twist-out socket to change bulbs. Use red for rear lighting and amber for front lighting. Skin packs.

746171 Amber Light #202A2R-9913 10

S/O Red Light #202R2R-9913

S/O #198 Bulb



Surface Mount Light, Viz Pack:

13471 Amber #V102A 6

13476 Red #V102R 6

Replacement Lens Only, Poly Pack:

13525 Amber #102-15A 10

13553 Red #102-15R 10

Replacement Bulb:

16800 #194 Bulb, CD/2 #16800 10

16762 #194 Bulb, BX/10 #16762 400

OPTRONICS CLEARANCE LIGHTS

Optronics signal lights meet or exceed DOT specifications and include detailed installation instructions. User friendly packaging includes all the required mounting instructions.



SEALED MARKER/CLEARANCE LIGHTS

Single sealed light mounts on stylish chrome base. Clam pack.

12834 Amber #MC-91AS 12

12835 Red #MC-91RS 12



Lifetime warranty

12839 Amber LED #MCL-91AK 12

12840 Red LED #MCL-91RK 1



LED CLEARANCE/MARKER LIGHTS

Waterproof 2-1/2" marker/clearance lights. Grommet and pigtail included.

12837 Amber #MCL-57AK 6

12838 Red #MCL-57RK 1

PETERSON MANUFACTURING #138 CLEARANCE AND MARKER LIGHT

Peterson rectangular style dual bulb clearance and marker light. 4" L x 2" W x 1 1/8" H. Bulk.



11303 Amber Light #V138A 6

11302 Red Light #V138R 6

Replacement Lens only, CD/2:

14598 Amber Lens #V138-15A 6

14599 Red Lens #V138-15R 6

Replacement Bulb:

16800 #194 Bulb, CD/2 #16800 10

16762 #194 Bulb, BX/10 #16762 400

PETERSON MANUFACTURING COMBINATION CLEARANCE AND REFLECTOR LIGHTS



Single stud, 2 3/4" x 2 1/8" x 1" combination side marker light and reflector. Red or amber lens, black housing.

752795 Amber Light #E114A 6

752794 Red Light #E114R 6

Replacement Bulb:

16800 #194 Bulb, CD/2 #16800 10

16762 #194 Bulb, BX/10 #16762 400



OPTRONICS LIGHTS MARKER/CLEARANCE LIGHT

All these clearance/marker lights need the following replacement bulbs.

Replacement Bulb:

16800 #194 Bulb, CD/2 #16800 10

16762 #194 Bulb, BX/10 #16762 400

MC-31 SERIES; OBLONG REFLECTOR

Oblong clearance or side marker light with a reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Single wire design grounds through mounting screw. All-weather molded plastic housing and durable lens protect against corrosion. Features snap-on, replaceable lens and easy to change replaceable bulb. Mounts on industry standard 3" centers. Packaged.

Oblong Reflector Marker/Clearance Light:

10076 Amber, Clam #MC-31AS 12

10077 Red, Clam #MC-31RS 12

12150 Amber, Polypack #MC-31ABP 50

12157 Red, Polypack #MC-31RBP 50

10041 Repl. Lens f/10077 #A-31RB 50

Replacement Lens only, Polypack:

12165 Amber Lens #A-31ABP 50

12169 Red Lens #A-31RBP 50

MC-58 SERIES; 2.5" ROUND SIDE MARKER

Round clearance or side marker light for surface mount. PC-Rated light that functions as both a clearance and side marker light when properly mounted on a 45 degree angle. All-weather molded plastic housing and durable lens protect against corrosion. Single wire design grounds through mounting hardware. Features snap-on, replaceable lens and easy to change replaceable bulb.



2.5" Round Side Marker, Packaged:

10114 Amber #MC-58AS 12

10119 Red #MC-58RS 12



MC-11 SERIES; MINI MARKER

Mini rectangular light with black base for clearance, side marker or identification light. Durable plastic base with external mounting holes. Snap-on lens. Single wire design grounds through mounting screw. Packaged.

Mini Marker/Clearance Light:

10087 Amber #MC-11AS 12

10088 Red #MC-11RS 12



MC-66 SERIES; OVAL TWO-BULB

Two-bulb clearance or side marker light. PC-Rated light functions as both a clearance and side marker light when properly mounted on a 45 degree angle. Two-bulb design optimizes light output. Features snap-on, replaceable lens and easy to change replaceable bulb. Mounts on industry standard 3" centers. All-weather molded plastic housing and durable lens protect against corrosion. Contains both lead wire and ground wire for mounting to all surfaces.

Oval Two-bulb

Marker/Clearance Light, Clamshell:

10071 Amber #MC-66AS 12

10073 Red #MC-66RS 12

Oval Two-bulb

Marker/Clearance Light, Polypack:

11914 Amber #MC-66ABP 50

11916 Red #MC-66RBP 50

Replacement Lens only, Polypack:

12140 Amber Lens #A-66ABP 50

12139 Red Lens #A-66RBP 50



MC-81 SERIES; CHROME PLATED

Clearance or side marker light with polished, chrome-plated housing. Features snap-on, replaceable lens and easy to change replaceable bulb. Single wire design grounds through mounting hardware. Packaged.

Chrome Plated Marker/Clearance Light:

10069 Amber #MC-81AS 12

10070 Red #MC-81RS 12

In Section E:	Interior Lights	Porch & Exterior Lights	Patio Lights	Flashlights	Spot & Flood Lights	Bulbs	Towing Lights	Vehicle Lights	Reflectors
---------------	-----------------	-------------------------	--------------	-------------	---------------------	-------	---------------	----------------	------------

OPTRONICS 2.5" ROUND SEALED SIDE MARKER/ CLEARANCE LIGHTS



in a single unit. Accepts industry standard 2-prong plug. Requires mounting grommet and plug for complete installation. Dim.: 2-1/2"W x 11/16"D.


Round clearance or side marker light. PC-Rated light that functions as both a clearance and side marker light when properly mounted on a 45 degree angle. Features sonically sealed, waterproof lens and housing

Marker/Clearance Light, Polypack:

12400 Amber #MC-55ABP 50

12394 Red #MC-55RBP 50

OPTRONICS RECTANGULAR REFLECTOR MARKER/CLEARANCE LIGHTS



Rectangular clearance or side marker light with reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Features snap-on, replaceable lens and easy to change replaceable bulb. All-weather molded plastic housing and durable lens protect against corrosion. Mounts on industry standard 3" centers. Assembly contains both lead and ground wire for mounting to all surfaces. Dim.: 4"L x 1-1/2"H x 15/16"D.

Reflector Marker/Clearance Light, Polypack:

12017 Amber #MC-44ABP 50

12025 Red #MC-44RBP 50

Replacement Lens Only, Polypack:

12022 Amber Lens #A-44ABP 50

12033 Red Lens #A-44RBP 50

Replacement Bulb:

16800 #194 Bulb, CD/2 #16800 10

16762 #194 Bulb, BX/10 #16762 400



OPTRONICS DOUBLE BULLSEYE MARKER/CLEARANCE LIGHTS

Dual bulb, bullseye marker/clearance light with black base. Two-bulb design optimizes light output. Features snap-on, replaceable lens and easy to change replaceable bulbs. All-weather molded plastic housing and durable lens protect against corrosion. Mounts on industry standard 3" centers. Grounds through mounting hardware. Dim.: 2-1/8" x 4-1/16" x 1-1/8"D.

Marker/Clearance Light, Clamshell:

12572 Amber #MC-42AS 12

12583 Red #MC-42RS 12

Replacement Bulb:

16800 #194 Bulb, CD/2 #16800 10

16762 #194 Bulb, BX/10 #16762 400



OPTRONICS 2-3/4" STUD MOUNT REFLECTOR MARKER/CLEARANCE LIGHTS



Square clearance or side marker light with a reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Single wire design grounds through mounting stud. Features replaceable lens and easy to change replaceable bulb. All-weather molded plastic housing and durable lens to protect against corrosion. Dim.: 2-3/4"L x 2-1/8"W x 1"D.

Reflector Marker/Clearance Light, Clam:

13315 Amber #MC-36AS 12

13323 Red #MC-36RS 12

Replacement Lens Only:

13285 Amber Lens, Poly #A-36ABP 50

13801 Red Lens, Bulk #A-36RBP 50

Replacement Bulb:

16800 #194 Bulb, CD/2 #16800 10

16762 #194 Bulb, BX/10 #16762 400

OPTRONICS WATERPROOF 2" ROUND SEALED LED MARKER/ CLEARANCE LIGHTS



Flush-mount, waterproof 4-diode clearance or side marker lights with grommet and 2-way plug. Features sonically sealed, waterproof lens and housing in a single unit. 2" dia. (w/o mounting grommet) x 1" deep. Clamshell

12173 Amber #MCL-55AK 12

12172 Red #MCL-55RK 12



OPTRONICS RECTANGULAR REFLECTOR MARKER/CLEARANCE LIGHTS



Rectangular clearance or side marker light with reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Ear-mount black base, replaceable lens and easy to change replaceable bulb. Single wire design grounds through mounting screw. Mounts on 2-3/8" centers. Features all-weather molded plastic housing and durable lens to protect against corrosion. Dim.: 3-7/8"L x 2-3/8"H x 1-1/16"D.

Reflector Marker/Clearance Light, Clamshell:

13327 Amber #MC-35AS 12


13329 Red #MC-35RS 12

Replacement Bulb:

16800 #194 Bulb, CD/2 #16800 10

16762 #194 Bulb, BX/10 #16762 400

OPTRONICS SQUARE REFLECTOR MARKER/ CLEARANCE LIGHT W/SIDE REFLEX



Stud-mount light functions as side marker with side reflex or clearance light. Light functions as both a clearance and side marker light when properly mounted on a 45 degree angle, and features a reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Single wire design grounds through mounting stud. Amber only. Polypack. Dim.: 2-1/8"W x 2-7/8"L x 15/16"D.

12955 Amber Marker #MC-37ABP 50

Replacement Bulb:

16800 #194 Bulb, CD/2 #16800 10

16762 #194 Bulb, BX/10 #16762 400



OPTRONICS THIN LINE SEALED LED MARKER/CLEARANCE LIGHTS

12180/12179 six diode LED clearance or side marker light. Features sonically sealed, waterproof lens and housing in a single unit. Multi-diode design optimizes light output. Mounts on industry standard 3" centers. Single wire design grounds through mounting hardware. Clampack. Dim.: 1-1/4"W x 3-15/16"L x 7/8"D.

Thin Line LED Marker/Clearance Light Kit:

12180 Amber Light Kit #MCL-67AK 12

12179 Red Light Kit #MCL-67RK 12

COMMAND ECONOMY OVAL LED TAILLIGHT



- Stop, Turn and Tail Light. • SAE approved. • 10 LED's.
- Sealed. • Complete with Pigtail and Grommet.
- Can be mounted horizontal or vertical position.

17399 Economy Oval LED Taillight #003-5504R 6




OPTRONICS 6" OVAL SEALED LED STOP/TURN/TAIL LIGHTS

Sealed, flange mount, red LED stop/turn/tail light. 10 super diodes for bright, dependable performance. Meets DOT FMVSS 108 requirements in any 360 degree position. Features sonically sealed, waterproof lens and housing in a single unit. All-weather molded plastic housing and durable lens protect against corrosion. Surface mount unit (12312) does not require panel cutout. Dimensions with housing (12312): 3-5/16"W x 7-9/16"L x 3/4"D.

6" Oval LED Stop/Turn/Tail Light, Clam pack:
12312 Surface Mount #STL-78RK 6

Accepts industry standard 3-prong plug for easy retrofit of incandescent lights. Requires mounting grommet and plug for complete installation. Dim. (12319): 2-5/16"W x 6-7/16"L x 2-7/8"D

6" Oval LED Stop/Turn/Tail Light, Clam Pack:
12319 Red LED #STL-72RS 6



OPTRONICS MIRO-FLEX™ RECTANGULAR LED STOP/TURN/TAIL LIGHTS

Sealed red stop/turn/tail light for flush mount. Features sonically sealed, waterproof lens and housing in a single unit. Features all-weather molded plastic housing and durable lens to protect against corrosion. Requires mounting grommet and plug for complete installation. Accepts industry standard 3-prong plug for easy retrofit of incandescent lights. 16 diodes. Dim.: 3-7/16"W x 5-5/16"L x 1-7/16"D (without grommet).

LED Stop/Turn/Tail Light, Polypack:
12823 Red LED #STL-35RBP 10

MIRO-FLEX™ RECTANGULAR LED PARKING/REAR TURN SIGNAL

LED Parking/Rear Turn Signal, Polypack:
12831 Amber LED #STL-35ABP 10



OPTRONICS RECTANGULAR REFLECTOR MARKER/CLEARANCE LIGHTS

Rectangular clearance or side marker light with a reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Twist-in socket contains both lead wire and ground wire for mounting to all surfaces. Features snap-on, replaceable lens and easy to change replaceable bulb. All-weather molded plastic housing and durable lens protect against corrosion. Dim.: 2" x 4" x 1-1/8" deep.

Reflector Marker/Clearance Light, Polypack:

12141 Amber #MC-32ABP 100

13331 Red #MC-32RBP 1

Replacement Lens Only, Polypack:

12144 Amber Lens #A-32ABP 50

12143 Red Lens #A-32RBP 50

Replacement Bulb:

16800 #194 Bulb, CD/2 #16800 10

16762 #194 Bulb, BX/10 #16762 400



OPTRONICS RECTANGULAR MARKER/CLEARANCE LIGHTS

Rectangular clearance or side marker light with a reflectorized lens, eliminating the need for a separate reflector to meet DOT requirements. Features all-weather molded plastic housing and durable lens to protect against corrosion. Twist-in socket contains both lead and ground wires for mounting to all surfaces. Mounts on 3-3/8" centers. Features replaceable lens and easy to change replaceable bulb. Dim.: 1-27/32"W x 3-29/32"L x 1-1/32"D.

Marker/Clearance Light, Polypack:

12147 Amber #MC-48ABP 50

12145 Red #MC-48RBP 50

Replacement Bulb:

16800 #194 Bulb, CD/2 #16800 10

16762 #194 Bulb, BX/10 #16762 400



OPTRONICS TAIL LIGHTS ST-4/5 SERIES SUBMERSIBLE OVER 80" COMBINATION TAIL LIGHTS



Submersible stud-mount stop/turn/tail lights for over 80" applications. ST-4RS is 7-function: stop, turn, tail, rear clearance, rear reflex, side marker, and side reflex. Eight-function ST-5RS is same as ST-4RS plus license illuminator. Feature built-in rear clearance light, eliminating the need for a separate light to meet DOT requirements. Mounts on 2" centers. Grounds through mounting studs. Features screw-on, replaceable lens and easy to change replaceable bulb. Shock proof socket guarantees long bulb life. All-weather molded plastic housing and durable lens protect against corrosion. Includes gasket for weather-tight seal. Retail packaging.

Submersible Over 80" Combination Tail Lights:

10123 W/o License Light #ST-4RS 6

10106 With license Light #ST-5RS 6

Replacement Bulb:

16785 #1157 Bulb, CD/2 #16785 1500

16784 #1157 Bulb, BX/10 #16784 500

S/O #168 Bulb (Side)

OPTRONICS TAIL LIGHTS ST-8/9 SERIES UNIVERSAL UNDER 80" COMBINATION TAIL LIGHTS



Universal stud-mount stop/turn/tail lights for under 80" applications. ST-8RS is 6-function: stop, turn, tail, rear reflex, side marker, and side reflex. Seven-function ST-9RS is same as ST-8RS plus license illuminator. Grounds through mounting studs. Mounts on 2" centers. Features screw-on, replaceable lens and easy to change replaceable bulb. Shock proof socket guarantees long bulb life. All-weather molded plastic housing and durable lens protect against corrosion. Designed with plug-n-go connections for quick connect wiring. Retail packaging.

Under 80" Combination Tail Lights:

10121 W/o License Light #ST-8RS 6

10105 With License Light #ST-9RS 6

Replacement Bulb:

16785 #1157 Bulb, CD/2 #16785 1500

16784 #1157 Bulb, BX/10 #16784 500

S/O #168 Bulb (Side)